

Series: Lizard - open frame



The open frame TFT Monitor Line has been designed for using in the industrial sector, especially for the integration into existing housing systems. All units are manufactured with high quality components.

Individual customer requests can be realised anytime.

- **Industrial Monitor - open frame**
- Signal input: VGA / DVI
- Input Voltage: 110-230V AC (wide range power supply)
- Dimensions: see page 2 up to 6
- TFT-Display: 12.1", 15", 17", 19"
- Resolution: min. 800x600 / max. 1280x1024 pixel
- Brightness: min. 300 cd/m² / max. 350 cd/m²
- Backlight Lifetime: min. 40.000 h
- VDE 0100, 0411, 0804, 0871B and CE-Mark
- mounting: VESA 75 / 100, angle bracket
- options: Touch screen, front plate, 12V DC, 24V DC

Order-no.:

Industrial monitor - open frame standard

see page 2

Order-no.	2362202	2362375	2362376	2362263
TFT Display Size	12.1" (307 mm)	15" (381 mm)	17" (432 mm)	19" (483 mm)
Active Screen Size (mm)	246x184.5	304.1x228.1	337.9x270.4	376.3x301.1
Resolution	800x600	1024x768	1280x1024	1280x1024
Brightness	300 cd/m ²	350 cd/m ²	350 cd/m ²	300 cd/m ²
Viewing Angle (H/V)	160°/160°	140°/120°	170°/160°	160°/160°
Frequency Range	31.5 - 80 kHz horizontal / 55 - 75 kHz vertical			
Backlight Lifetime	min. 40.000 h			
Input Voltage	110-230V AC (wide range power supply)			
Operating Temperature	0 ~ 50°C			
Storage Temperature	-10 ~ 55°C			
Dimension mm (HxVxD)	283x221x57.5	345.4x260.2x53.1	367.3x301x50	404x332x62
Options	- Touch screen resistive with USB or RS-232 connector			
	- Touch screen capacitive with USB or RS-232 connector			
	- Front plate up to Protection Grade IP65			
	- Input Voltage 12V DC oder 24V DC			

*Examples for front plates:



customized - RAL9005



19" Rack - RAL7035




customized - stainless steel IP65

Hint: Subject to change without prior and any misprints





- page 2/6 -

Dimensions - 12"
(HxVxD) 283 x 221 x 57.5 mm





Dimensions - 15"

(HxVxD) 345.4 x 260.2 x 53.1 mm



Dimensions - 17" (HxVxD) 367.3 x 301 x 50 mm



Dimensions - 19"
(HxVxD) 404 x 332 x 62 mm

